



## ADVANTAGE UV STERILIZER SERIES

PROVIDES A SAFE & HEALTHY ENVIRONMENT

# Our line-up lets yours shine.

UV sterilizers are a versatile technology used for disinfecting water, other opaque liquids, hard surfaces and air. Using the same germicidal rays as the sun, but hundreds of times stronger UV offers a reliable, cost effective, environmentally friendly alternative to chemicals and their resulting bi-products. UV Sterilization is a purely physical process not a chemical one so it doesn't alter water's chemistry, taste, smell or pH.

The Advantage Series is compact and lightweight ideal for small ponds, aquariums, and water features. Advantage UVs are slim, lightweight units designed for maximum UV effectiveness.



(951) 296-3480 | (800) 454-2725 | [info@aquauv.com](mailto:info@aquauv.com) | [AquaUV.com](http://AquaUV.com)



# ADVANTAGE UV

## STERILIZER SERIES

**Aqua Ultraviolet UVs will clear your water in 3 to 5 days sometimes overnight and keep it that way.**

### INLINE MODEL

### HANGER MODEL



### ADVANTAGE UV SIZING CHART

MODEL	NO. OF LAMPS	120V AMP DRAW	FRESH WATER TANK GALLONS	30,000 $\mu\text{w}/\text{cm}^2$ (EOL) GPH	SALT WATER TANK GALLONS	45,000 $\mu\text{w}/\text{cm}^2$ (EOL) GPH	60,000 $\mu\text{w}/\text{cm}^2$ (EOL) GPH	75,000 $\mu\text{w}/\text{cm}^2$ (EOL) GPH	90,000 $\mu\text{w}/\text{cm}^2$ (EOL) GPH
Advantage 2000	1	0.42	200	642	70	428	321	256	214
Advantage 2000+	1	0.42	500	700	75	466	350	280	233

Optional 8 Watt or 15 Watt available.

### IMPORTANT FOR AQUARIUM APPLICATIONS

#### REEF TANKS

A UV rated in the 30,000 or 45,000 column is ideal for the reef environment. UV's used at higher kill rates will destroy the planktonic food supply for the reef.

#### MARINE FISH TANKS

(No reef or live rock) A UV rated in the 75,000 or 90,000 column will be the most effective at controlling fish disease. All UV dosages are calculated at the end of lamp life (14 month).

**(951) 296-3480 | (800) 454-2725 | [info@aquauv.com](mailto:info@aquauv.com) | [AquaUV.com](http://AquaUV.com)**